

SEPA ENVIRONMENTAL SUBMITTAL CHECKLIST & SEPA CHECKLIST FORM

DEPARTMENT OF COMMUNITY & ECONOMIC DEVELOPMENT

PURPOSE

The State Environmental Policy Act (SEPA), Chapter 43.21C RCW, requires all governmental agencies to consider the environmental impacts of certain proposals before making permitting decisions.

The purpose of this checklist is to provide information to help you and the agency identify impacts from your proposal (and to reduce or avoid impacts from the proposal, if it can be done) and to help the agency decide whether an Environmental Impact Statement (EIS) is required.

An EIS must be prepared for all proposals with probable significant adverse impacts on the quality of the environment.

CITY HALL CONTACT

4800 South 188th Street SeaTac, WA, 98188 Ph: 206.973.4750

INSTRUCTIONS

This Environmental Checklist asks you to describe some basic information about your proposal. Answer the questions briefly, with the most precise information known, or give the best description you can.

You must answer each question accurately and carefully, to the best of your knowledge. In most cases, you should be able to answer the questions from your observation or project plans, however, you may need to consult with an agency specialist or private consultant for some questions.

If You Don't Know the Answer

You may use "not applicable" or "does not apply" only when you can explain why it does not apply and not when the answer is unknown. You may also attach or incorporate by reference additional studies reports. Complete and accurate answers to these questions often avoid delays with the SEPA process as well as later in the decision-making process.

Staged Development

The Checklist questions apply to all parts of your proposal, even if you plan to do them over a period of time or on different parcels of land. Attach any additional information that will help describe your proposal, or its environmental effects. The City may ask you to explain your answers or provide additional information related to determining if there may be significant adverse impact.

PACKET MATERIALS

This packet is divided into two (2) sections. Both sections must be completed and submitted for review. An incomplete packet will not be accepted for review.

FORM A: Environmental (SEPA) Submittal Checklist Form

FORM B: <u>SEPA Environmental</u> Checklist

APPLICATION FEE

The application fee is paid at the time of submitting a complete application. This fee is in addition to any other permit related fees.

Find fee schedule at:

https://www.seatacwa.gov/how-do-i/view/fee-schedule

'SIMPLE' LAND USE & SEPA REVIEW PROCESS

Pre Application Meeting

An applicant shall have a Pre-Application Meeting with the City before an application is accepted.

Determination of Completeness (DOC)

Upon the Clty's acceptance of a permit application, you will receive a "Determination of Completeness" (DOC) within 28 days of the submittal of your application stating whether your permit application is complete, not complete or if additional information is required. Note, this process only pertains to permits that require a comment period.

Notice of Application (NOA)

A "Notice of Application" (NOA) will be published and sent to adjacent property owners within 300ft -1,000 ft of the subject property. The NOA will be issued within 14 days after a DOC is issued. There is a 14 day comment period for a NOA. Note, this process only pertains to permits that require a comment period.

Notice Board Posting:

At this time, you will be required to post a "Notice Board" on the property detailing the proposed land use action. An example of the sign and further instructions will be provided to you as part of your NOA Letter.

SEPA Determination Issued

A SEPA determination will be issued shortly after the NOA comment period ends. Notification of the SEPA determination will be in the same manner as a NOA.

14 day comment period & 10 Day Appeal Period Follows

The determination will be published, posted and sent to all parties of record within 300ft-1,000ft of the subject property and to all "Parties of Record". People will have 14 days to make comment, followed by a 10 day appeal period. If no appeals are recieved, the process is complete.

Removal of Notice Board

The "Notice Board" shall be removed within 30 calendar days of the publication of the SEPA Determination.

FORM A: ENVIRONMENTAL (SEPA) SUBMITTAL CHECKLIST

Staff Use Only:	
SEP #:	Project Name:

- A submittal will NOT be accepted for intake if the project has not had the required Pre-Application meeting. To schedule the required meeting, you must complete the required Pre-Application meeting request found here: https://www.seatacwa.gov/government/city-departments/community-and-economic-development/permits-land-use-applications and submit it to the Permit Center.
- 2. The following materials are the minimum that must be submitted to review your application. Please do not turn in your application until all items listed below have been checked off. Submittals will not be accepted unless complete. Return completed checklist with application.
- 3. A Determination of Completeness (DOC) will be made within twenty-eight (28) days of the application submittal stating whether the application is complete or if additional information is required.

PLA	N SUBMITTAL	Applicant	Staff
1	Master Land Use Application form, completed.		
2	Completed Environmental Checklist: Original copy.		
3	Additional items as identified in a pre-application meeting, if applicable.		
4	Required fee(s) paid.		
5	Electronic: A thumbdrive with electronic copies of all documents, OR Paper: Original, plus four (4) copies of all documents. Plan set 24"x36".		
6	A dimension Site Plan, drawn to scale (1 in. = 20, 30, 40 ft.) showing the following: a) Dimension and shape of lot with adjacent street names		
	b) A <i>legal description</i> of the subject property		
	c) Location and dimensions of existing and proposed buildings (engineering scale only) including the building height of proposed buildings		
	d) Adjacent street improvements, ingress and egress		

	e)	Required landscaping areas. A detailed landscape plan is not required, however, the site plan must show the dimensioned 'block' areas of landscape to demonstrate the code required landscaping can be accommodated on site	
	f)	Existing water courses, wetlands, utility lines, structures, rockeries or other relevant manmade or natural features, ordinary high water mark	
	g)	The gross floor area of buildings	
	h)	Parking calculations and location, dimension and number of parking spaces	
	i)	Existing and finished grades at 5' contours	
	j)	Location and dimensions of all easements referenced in the title report with the recording number and type of easement (e.g. access, sewer, etc.)	
	k)	Proposed storm drainage, sidewalks, conceptual grading and drainage plan	
	1)	The location of any recreation/open space with dimensions	
	m)	Proposed public dedication/open space (if any)	
7	Buildi	ng facades drawn at 1/4", 1/8" = 1' or comparable scale showing: Elevations Building height Entrances	
8		ng and/or text describing the scale, bulk and architectural character proposed structure	
9		describing conditions or features which cannot be adequately yed on maps or drawings	
10		cription of plans for covenants, uses and continuous maintenance ions for the project	
11	Propos	sed phasing identified	
12	and tra	ular and pedestrian circulation and any special engineering features affic regulating devices needed to facilitate or insure the safety of reulation pattern.	

FORM B: **SEPA** ENVIRONMENTAL CHECKLIST

Purpose of checklist

Governmental agencies use this checklist to help determine whether the environmental impacts of your proposal are significant. This information is also helpful to determine if available avoidance, minimization, or compensatory mitigation measures will address the probable significant impacts or if an environmental impact statement will be prepared to further analyze the proposal.

Instructions for applicants

This environmental checklist asks you to describe some basic information about your proposal. Please answer each question accurately and carefully, to the best of your knowledge. You may need to consult with an agency specialist or private consultant for some questions. You may use "not applicable" or "does not apply" only when you can explain why it does not apply and not when the answer is unknown. You may also attach or incorporate by reference additional studies reports. Complete and accurate answers to these questions often avoid delays with the SEPA process as well as later in the decision-making process.

The checklist questions apply to **all parts of your proposal**, even if you plan to do them over a period of time or on different parcels of land. Attach any additional information that will help describe your proposal or its environmental effects. The agency to which you submit this checklist may ask you to explain your answers or provide additional information reasonably related to determining if there may be significant adverse impact.

Instructions for lead agencies

Please adjust the format of this template as needed. Additional information may be necessary to evaluate the existing environment, all interrelated aspects of the proposal and an analysis of adverse impacts. The checklist is considered the first but not necessarily the only source of information needed to make an adequate threshold determination. Once a threshold determination is made, the lead agency is responsible for the completeness and accuracy of the checklist and other supporting documents.

Use of checklist for nonproject proposals

For nonproject proposals (such as ordinances, regulations, plans and programs), complete the applicable parts of sections A and B, plus the <u>Supplemental Sheet for Nonproject Actions (Part D)</u>. Please completely answer all questions that apply and note that the words "project," "applicant," and "property or site" should be read as "proposal," "proponent," and "affected geographic area," respectively. The lead agency may exclude (for non-projects) questions in "Part B: Environmental Elements" that do not contribute meaningfully to the analysis of the proposal.

A. Background Find help answering background questions

- 1. Name of proposed project, if applicable: 7-Eleven Site 27742; Fuel System Removal
- 2. Name of applicant: 7-Eleven, Inc.

3. Address and phone number of applicant and contact person:

Applicant:	Contact:
Paula Sime	Paul Fairbairn, Principal
7-Eleven, Inc.	Authorized Representative of 7-Eleven, Inc.
PO Box 711	(see attached 3 rd party authorization)
Dallas, TX 75221	Stantec Consulting Services, Inc.
972-828-6592	1687 114 th Ave SE, Suite 100
	Bellevue, WA 98004

- 4. Date checklist prepared: November 22, 2023
- 5. **Agency requesting checklist:** City of Seatac Department of Cummunity & Economic Development.
- 6. Proposed timing or schedule (including phasing, if applicable): February 2024
- Do you have any plans for future additions, expansion, or further activity related to or connected with this proposal? If yes, explain. No future additions, expansion, or further activity related proposed,
- 8. List any environmental information you know about that has been prepared, or will be prepared, directly related to this proposal.

A UST Closure and Site Assessment report will be prepared. USTs will be closed in accordance with the Washington Department of Ecology (Ecology) document: "Guidance for Site Checks and Site Assessments for Underground Storage Tanks"

[Ecology, February 1991 (revised October 2018)]. Site assessment activities will be performed by a certified Washington State Site Assessor (8025441-U7) as required by Washington Administrative Code (WAC) 173-360-610.

9. Do you know whether applications are pending for governmental approvals of other proposals directly affecting the property covered by your proposal? If yes, explain.

A Fire Permit will be obtained by the contractor for the proposed scope of work

10. List any government approvals or permits that will be needed for your proposal, if known.

A Fire Permit will be obtained from the Seatac Fire Department for the proposed scope of work.

11. Give a brief, complete description of your proposal, including the proposed uses and the size of the project and site. There are several questions later in this checklist that ask you to describe certain aspects of your proposal. You do not need to repeat those answers on this page. (Lead agencies may modify this form to include additional specific information on project description.)

The project includes decommissioning and removal of three 12,000-gallon underground storage tanks (storing unleaded gasoline), product lines, vent lines, three dispenser islands, canopy and canopy footings; and subsequent backfill and compacting of the excavation and finishing with asphalt paving/concrete to match existing.

12. Location of the proposal. Give sufficient information for a person to understand the precise location of your proposed project, including a street address, if any, and section, township, and range, if known. If a proposal would occur over a range of area, provide the range or boundaries of the site(s). Provide a legal description, site plan, vicinity map, and topographic map, if reasonably available. While you should submit any plans required by the agency, you are not required to duplicate maps or detailed plans submitted with any permit applications related to this checklist.

SITE ADDRESS: 20008 PACIFIC HIGHWAY/INTERNATIONAL BOULEVARD

SEATAC, WASHINGTON 98198

KING COUNTY PARCEL NUMBERS: 344500-0018

TOWNSHIP, RANGE, SECTION: T22N R04E S4

LEGAL DESCRIPTION OF PROJECT SITE: HOMESTEAD PARK FIVE-ACRE TRACTS PORTION OF TRACT 2 DAF: BEGINNING AT INTERSECTION OF E LINE STATE HWY NO 1 WITH S LINE OF S 220TH ST TH EAST ALONG SAID S LINE 150 FT TH SOUTH 150 FT TH WEST PARALLEL TO SAID S LINE OF S 200TH ST TO E LINE OF SAID ST HWY NO 1 TH NORTH ALONG SAID E LINE TO POB EXC PORTION LYING NWLY OF LINE BEGINNING AT POINT 12 FT SLY OF NW CORNER THEREOF (MEASURED ALONG WLY LINE) & RUNNING NELY TO POINT 14 FT ELY OF SAID CORNER (MEASURED ALONG NLY LINE) AS CONVEYED TO STATE OF WA BY DEED UNDER RECORDING NO 8701220885: & EXC PORTION THEREOF CONVEYED TO CITY OF SEATAC BY DEED UNDER RECORDING NO 9705090222 DAF: COMMENCING AT INTERSECTION OF E LINE STATE HWY NO 1 WITH S LINE S88-26-26E 14.00 FT TO E CORNER OF PORTION CONVEYED TO STATE OF WA UNDER RECORDING NO 8701220885 & TPOB TH CONTINUING ALONG SAID S LINE S88-26-26E 136.00 FT TO ELY PARCEL LINE TH ALONG SAID ELY PARCEL LINE S00-06-43E 4.00 FT TO POINT 4.00 FT SLY (MEASURED PERPENDICULAR TO S LINE OF S 200TH ST) TH PARALLEL WITH SAID S LINE N88-26-26W 117.11 FT TH S52-53-34W 41.46 FT TO POINT 3.00 FT ELY (MEASURED PERPENDICULAR TO E LINE OF ST HWY NO 1) TH PARALLEL WITH SAID E LINE S06-06-00W 120.41 FT TO POINT ON SLY PARCEL LINE TH ALONG SAID SLY LINE N88-26-26W 3.10 FT TO E LINE STATE HWY NO 1 TH ALONG SAID E LINE N06-06-00E 138.41 FT TO S CORNER OF PORTION CONVEYED TO STATE OF WA UNDER RECORDING NO 8701220885 TH ALONG SAID PORTION N52-53-39E 19.15 FT TO TPOB

B. Environmental Elements

- 1. Earth Find help answering earth questions
- a. General description of the site:

Circle or highlight one Flat, rolling, hilly, steep slopes, mountainous, other:

b. What is the steepest slope on the site (approximate percent slope)?

The entire site has less than Approximately 0.1%

c. What general types of soils are found on the site (for example, clay, sand, gravel, peat, muck)? If you know the classification of agricultural soils, specify them, and note any agricultural land of long-term commercial significance and whether the proposal results in removing any of these soils.

Based on Site drilling, native soil underlying the Site is poorly graded sands with some silt and silty sands with trace to little gravel from ground surface to 45 feet bgs. Soils are generally classified as dense to very dense at the Site.

d. Are there surface indications or history of unstable soils in the immediate vicinity? If so, describe.

There's no indication or history of unstable soils in the immediate vicinity.

e. Describe the purpose, type, total area, and approximate quantities and total affected area of any filling, excavation, and grading proposed. Indicate source of fill.

The project includes decommissioning and removal of three 12,000-gallon underground storage tanks (storing unleaded gasoline), monitoring wells, product lines, vent lines, three dispensers, canopy and canopy footings; and subsequent backfill and compacting of the excavation and finishing with asphalt paving. Existing surfacing will be replace to match existing.

Quantity of disturbed soils include approximately 727 cubic yards. If the soil is determined to be free of petroleum hydrocarbons it will be reused as backfill on the site. An additional 173 cubic yards of clean imported soil will be used as backfill on the site. Once backfilling is complete, the surface will be paved with asphalt; approximately 1,935 square feet. Backfill will be provided by the contractor.

Onsite Excavation: 727 cubic yards of soil and three USTs which occupy approximately 173 cubic yards of space

Fill from Offsite Source: **727** cubic yards

Type of Backfill: Clean structural fill that will be compacted to 95% Source of Backfill: Source to be determined by the contractor

Resurfacing Area: 1,935 square feet

f. Could erosion occur because of clearing, construction, or use? If so, generally describe.

Erosion could occur during excavation activities and/or while soil is stockpiled pending soil analytical results.

g. About what percent of the site will be covered with impervious surfaces after project construction (for example, asphalt or buildings)?

100% (no change in impervious surfaces)

h. Proposed measures to reduce or control erosion, or other impacts to the earth, if any.

Catch basin protection will be installed in all catch basins located on the Site. Stockpiled soil will be placed on and covered with visqueen.

2. Air Find help answering air questions

a. What types of emissions to the air would result from the proposal during construction, operation, and maintenance when the project is completed? If any, generally describe and give approximate quantities if known.

Minimal dust and emissions from construction equipment could occur during construction.

b. Are there any off-site sources of emissions or odor that may affect your proposal? If so, generally describe.

Off-site sources of emissions or odor are not expected to affect this proposal.

c. Proposed measures to reduce or control emissions or other impacts to air, if any.

Appropriate dust control measures will be used during excavation activities. Vehicles and equipment will be equipped with emission control equipment.

- 3. Water Find help answering water questions
- a. Surface Water: Find help answering surface water questions
- 1. Is there any surface water body on or in the immediate vicinity of the site (including year-round and seasonal streams, saltwater, lakes, ponds, wetlands)? If yes, describe type and provide names. If appropriate, state what stream or river it flows into.

The closest body of water is Angle Lake, located approximately 1,110 feet northeast of the Property. There is an unnamed creek located approximately 1,835 feet south of the Property, flowing to the southwest (possibly originating from Willow Lake) towards Des Moines Creek. At its closest point, Des Moines Creek is located approximately 0.5-mile west of the Property. As noted above, Green River is located approximately 1.5 miles east of the Property. The overall area is drained by south-southwesterly flow into Des Moines Creek drainage basin, then towards Puget Sound.

2. Will the project require any work over, in, or adjacent to (within 200 feet) the described waters? If yes, please describe and attach available plans.

No work will be performed within 200 feet of the described waters.

Estimate the amount of fill and dredge material that would be placed in or removed from surface water or wetlands and indicate the area of the site that would be affected. Indicate the source of fill material.

4. Will the proposal require surface water withdrawals or diversions? Give a general description, purpose, and approximate quantities if known.	
The proposal does not require water withdrawals or diversions.	
5. Does the proposal lie within a 100-year floodplain? If so, note location on the site plan.	
The proposal does not lie within a 100-year floodplain.	

Not applicable.

6. Does the proposal involve any discharges of waste materials to surface waters? If so, describe the type of waste and anticipated volume of discharge.

No Waste discharges proposed.

b. Ground Water: Find help answering ground water questions

1. Will groundwater be withdrawn from a well for drinking water or other purposes? If so, give a general description of the well, proposed uses and approximate quantities withdrawn from the well. Will water be discharged to groundwater? Give a general description, purpose, and approximate quantities if known.

No water will be withdrawn from a well, there are no Group A or Group B water wells in the vicinity of the site. The proposed project will not negatively impact groundwater quality conditions and will likely improve groundwater quality by removal of a potential source of petroleum contamination and potentially impacted soil.

2. Describe waste material that will be discharged into the ground from septic tanks or other sources, if any (domestic sewage; industrial, containing the following chemicals...; agricultural; etc.).
Describe the general size of the system, the number of such systems, the number of houses to be served (if applicable), or the number of animals or humans the system(s) are expected to serve.

No material will be discharged into the ground septic tanks or other sources.

c. Water Runoff (including stormwater):

a) Describe the source of runoff (including storm water) and method of collection and disposal, if any (include quantities, if known). Where will this water flow? Will this water flow into other waters? If so, describe.

There are three catch basins at the Property for surface/rainwater drainage: one in the west portion of the Property, one in the northwest portion of the Property, and one in the northeast portion of the Property.

b) Could waste materials enter ground or surface waters? If so, generally describe.

No. The site is entirely paved, and no surface waters are on or near the site. Excavation activities will not result in additional contaminants leaching into the groundwater. If anything, by removing the USTs a source of contamination will be removed from the subsurface reducing the overall risk.

c) Does the proposal alter or otherwise affect drainage patterns in the vicinity of the site? If so, describe.

No, this project will no change current site grading.

d) Proposed measures to reduce or control surface, ground, and runoff water, and drainage pattern impacts, if any.

Stormwater best management practices (BMPs) will be implemented as detailed in the Stormwater Pollution Prevention Plan (SWPPP) to be developed for the project once the contractor is selected. These BMPs include but are not limited to:

- Catch basins will be fitted with sediment inserts, prior to beginning clearing or excavation activities.
- Straw wattles will be used to trap debris and sediment between the work zone and 7-Eleven store.
- Plastic sheeting will be used to cover stockpiled material.
- Sandbags will hold down the straw wattles and plastic sheeting.
- Chain-link fencing will be used surrounding the work zone.

4. Plants Find help answering plants questions a. Check the types of vegetation found on the site: deciduous tree: alder, maple, aspen, other ☐ evergreen tree: fir, cedar, pine, other × shrubs □ grass □ pasture \Box crop or grain orchards, vineyards, or other permanent crops. ☐ wet soil plants: cattail, buttercup, bullrush, skunk cabbage, other ☐ water plants: water lily, eelgrass, milfoil, other \square other types of vegetation b. What kind and amount of vegetation will be removed or altered? No vegetation will be removed. All work will be within the paved area. c. List threatened and endangered species known to be on or near the site. This parcel contains no listed plants or critical habitats. There is a wide regional distribution of species with a chance to be present: Gray Wolf (Canis lupus) and North American Wolverine (Gulo gulo luscus): Gray wolves and wolverines do not have any known populations in the area and have specific habitat requirements not found at or near the site. Marbled Murrelet (Brachyramphus marmoratus) Murrelets have a known critical area mapped in the Cascades, and the site is outside of it. They also require oldgrowth forests with large snags, not present at or near the site. Streaked Horned Lark (Eremophila alpestris strigata) Streaked horned larks require open fields, not present at or near the site. Yellow-billed Cuckoo (Coccyzus americanus) Yellow-billed cuckoos require large areas of riparian habitat, not present at or near the site. Bull Trout (Salvenlinus confluentus) The site is beyond the 200 ft buffer for shorelines d. Proposed landscaping, use of native plants, or other measures to preserve or enhance vegetation on the site, if any.

None. All work will be within the paved area.

e. List all noxious weeds and invasive species known to be on or near the site.

None known. The site is largely paved, with landscaping area along the perimeter.

- **5. Animals** Find help answering animal questions
- a. List any birds and other animals that have been observed on or near the site or are known to be

on or near the site.

Examples include:

- Birds: hawk, heron, eagle, songbirds, other:
- Mammals: deer, bear, elk, beaver, other:
- Fish: bass, salmon, trout, herring, shellfish, other:

None known.

b. List any threatened and endangered species known to be on or near the site.

None known.

c. Is the site part of a migration route? If so, explain.

None known.

d. Proposed measures to preserve or enhance wildlife, if any.

No measures are proposed as all work will be within existing paved area.

e. List any invasive animal species known to be on or near the site.

None known.

6. Energy and Natural Resources Find help answering energy and natural resource questions

1. What kinds of energy (electric, natural gas, oil, wood stove, solar) will be used to meet the completed project's energy needs? Describe whether it will be used for heating, manufacturing, etc.

Gasoline and diesel will be required for the excavation and trucking equipment used during the demolition/removal of the fuel station canopy as well as excavation, removal of USTs and backfilling of the excavation area. The area will be entirely paved and not require any additional energy needs.

2. Would your project affect the potential use of solar energy by adjacent properties? If so, generally describe.

The project will not affect the potential use of solar energy by adjacent properties.

3. What kinds of energy conservation features are included in the plans of this proposal? List other proposed measures to reduce or control energy impacts, if any.

Construction vehicle idling will be minimized to reduce gasoline and diesel consumption.

7. Environmental Health Find help with answering environmental health questions

a. Are there any environmental health hazards, including exposure to toxic chemicals, risk of fire and explosion, spill, or hazardous waste, that could occur because of this proposal? If so, describe.

Fuel in the USTs will be removed, and the tanks will be triple rinsed and inerted prior to removal from the ground; environmental hazards associated with the tanks will be minimal. The likelihood of a spill occurring during removal of the fuel from the USTs is remote. However, in the event that a spill occurs, the risk of fire/explosion will be minimized by use of safety controls such as: spill kits, the implementation of BMPs, and the presence of a vacuum truck to vacuum spilled contents. Stantec will be on-site to monitor vapors with a photoionization detector (PID). In the event that soil impacted with petroleum is encountered, Stantec will direct staff and contractors on the appropriate action and will comply with company, City, State, and Federal health and safety and reporting protocols. Soil will be placed on and under visqueen plastic sheeting to prevent material from being washed into storm drains by rain or wind.

1. Describe any known or possible contamination at the site from present or past uses.

Petroleum hydrocarbons have been discovered on-site

2. Describe existing hazardous chemicals/conditions that might affect project development and design. This includes underground hazardous liquid and gas transmission pipelines located within the project area and in the vicinity.

Asbestos: A pre-demolition asbestos survey will be completed of the dispenser islands, dispensers, and concrete UST pad.

The existing fueling system consists of: three 12,000-gallon USTs containing unleaded gasoline; three dispensers; and, associated product lines and vent lines.

3. Describe any toxic or hazardous chemicals that might be stored, used, or produced during the project's development or construction, or at any time during the operating life of the project.

The Site presently stores unleaded gasoline in three 12,000-gallon USTs. As indicated above.

4. Describe special emergency services that might be required.

The local fire department will be notified prior to tank removal.

5. Proposed measures to reduce or control environmental health hazards, if any.

Proper fuel transfer methods will be used during removal of tank contents. Tank removal will be supervised by an ICC-certified UST Supervisor and tanks will be inerted and certified as safe for removal.

b. Noise

1. What types of noise exist in the area which may affect your project (for example: traffic, equipment, operation, other)?

Noise in the area includes street traffic and proximity to the link right rail station, which will not affect the project.

2. What types and levels of noise would be created by or associated with the project on a short-term or a long-term basis (for example: traffic, construction, operation, other)? Indicate what hours noise would come from the site)?

Short-term noise from construction equipment will occur between the hours of 7:00 am and 6:00 pm and will cease at the completion of the project.

3. Proposed measures to reduce or control noise impacts, if any.

Construction equipment will be equipped with appropriate muffler devices to limit noise, and equipment will not remain at idle unnecessarily.

- 8. Land and Shoreline Use Find help answering land and shoreline use questions
- a. What is the current use of the site and adjacent properties? Will the proposal affect current land uses on nearby or adjacent properties? If so, describe.

The site is currently used as a retail gas station with 7-Eleven convenience store and additional commercial businesses in the same parcel. The Property is in a mixed residential and commercial district in SeaTac (Figure 2). The Property is bordered to the north and northwest by South 200th Street, followed by Shell and Chevron gas stations, respectively; to the east by Cedarcrest Apartments, followed by a vacant parcel (formerly SeaTac Fire Station) currently under construction (a proposed land use action states that this parcel will be converted to Amelia Apartments; to the south by a U-Haul Storage facility; and to the west by Pacific Highway South/International Boulevard, followed by an abandoned building.

b. Has the project site been used as working farmlands or working forest lands? If so, describe. How much agricultural or forest land of long-term commercial significance will be converted to other uses because of the proposal, if any? If resource lands have not been designated, how many acres in farmland or forest land tax status will be converted to nonfarm or nonforest use?

Not known. Current project site is commercial and fully paved.

1. Will the proposal affect or be affected by surrounding working farm or forest land normal

business operations, such as oversize equipment access, the application of pesticides, ti	illing,
and harvesting? If so, how?	

There are no working farm or forest lands in the vicinity of the project

c. Describe any structures on the site.

The convenience store is approximately 2,700 square feet which will remain and an approximate 575 square foot canopy will be demolished. The convenience store is occupied by the north portion of the building, the remaining portion is occupied by a pizza restaurant and hair salon business.

d. Will any structures be demolished? If so, what?

A 575 square foot canopy will be demolished.

e. What is the current zoning classification of the site?

Community Business in Urban Center

f. What is the current comprehensive plan designation of the site?

CB-C

g. If applicable, what is the current shoreline master program designation of the site?

The Site is not within any critical area.

h. Has any part of the site been classified as a critical area by the city or county? If so, specify.

Not applicable, completed project is not within business structure or residence.

i. Approximately how many people would reside or work in the completed project?

None

j. Approximately how many people would the completed project displace?

Not applicable

k. Proposed measures to avoid or reduce displacement impacts, if any.

Not applicable

I. Proposed measures to ensure the proposal is compatible with existing and projected land uses and plans, if any.

Not applicable

m. Proposed measures to reduce or control impacts to agricultural and forest lands of long-term commercial significance, if any.

Not applicable

- **9. Housing** Find help answering housing questions
- a. Approximately how many units would be provided, if any? Indicate whether high, middle, or low-income housing.

Not applicable

b. Approximately how many units, if any, would be eliminated? Indicate whether high, middle, or low-income housing.

Not applicable
c. Proposed measures to reduce or control housing impacts, if any.
Not applicable

10. Aesthetics Find help answering aesthetics questions

a. What is the tallest height of any proposed structure(s), not including antennas; what is the principal exterior building material(s) proposed?

Not applicable

b. What views in the immediate vicinity would be altered or obstructed?

Not applicable

c. Proposed measures to reduce or control aesthetic impacts, if any.

Not applicable

11. Light and Glare Find help answering light and glare questions

a. What type of light or glare will the proposal produce? What time of day would it mainly occur?

Not applicable

b. Could light or glare from the finished project be a safety hazard or interfere with views?

Not applicable

c. What existing off-site sources of light or glare may affect your proposal?

Not applicable

d. Proposed measures to reduce or control light and glare impacts, if any.

Not applicable

12. Recreation Find help answering recreation questions

a. What designated and informal recreational opportunities are in the immediate vicinity?

There are no designated or informal recreational opportunities in the immediate vicinity of the Site.

b. Would the proposed project displace any existing recreational uses? If so, describe.

The proposed project will not displace any existing recreational uses

c. Proposed measures to reduce or control impacts on recreation, including recreation opportunities to be provided by the project or applicant, if any.

Not applicable		

13. Historic and Cultural Preservation Find help answering historic and cultural preservation questions

a. Are there any buildings, structures, or sites, located on or near the site that are over 45 years old listed in or eligible for listing in national, state, or local preservation registers? If so, specifically describe.

None.

b. Are there any landmarks, features, or other evidence of Indian or historic use or occupation? This may include human burials or old cemeteries. Are there any material evidence, artifacts, or areas of cultural importance on or near the site? Please list any professional studies conducted at the site to identify such resources.

None.

c. Describe the methods used to assess the potential impacts to cultural and historic resources on or near the project site. Examples include consultation with tribes and the department of archeology and historic preservation, archaeological surveys, historic maps, GIS data, etc.

None.

d. Proposed measures to avoid, minimize, or compensate for loss, changes to, and disturbance to resources. Please include plans for the above and any permits that may be required.

None.

14. Transportation Find help with answering transportation questions

a. Identify public streets and highways serving the site or affected geographic area and describe proposed access to the existing street system. Show on site plans, if any.

Access to the site is via Pacific Highway S/International Boulevard and 200th St. Both access point will remain open during construction

b. Is the site or affected geographic area currently served by public transit? If so, generally describe. If not, what is the approximate distance to the nearest transit stop?

There are no buss stations in the immediate vicinity of the Property, the nearest bus station is 305 ft north of the Property. Bus route A Line serves the area and travels on Pacific Highway S/International Boulevard.

c. Will the proposal require any new or improvements to existing roads, streets, pedestrian, bicycle, or state transportation facilities, not including driveways? If so, generally describe (indicate whether public or private).

None.

d. Will the project or proposal use (or occur in the immediate vicinity of) water, rail, or air transportation? If so, generally describe.

Non	e.
e.	How many vehicular trips per day would be generated by the completed project or proposal? If known, indicate when peak volumes would occur and what percentage of the volume would be trucks (such as commercial and nonpassenger vehicles). What data or transportation models were used to make these estimates?
No a	additional vehicular trips would be generated by the completed project or proposal

f. Will the proposal interfere with, affect, or be affected by the movement of agricultural and forest products on roads or streets in the area? If so, generally describe.

The proposal will not interfere with the movement of agricultural and forest products.

g. Proposed measures to reduce or control transportation impacts, if any.

No transportation impacts anticipated.

15. Public Services Find help answering public service questions

a. Would the project result in an increased need for public services (for example: fire protection, police protection, public transit, health care, schools, other)? If so, generally describe.

No, the project will not result in an increased need for public services.

b. Proposed measures to reduce or control direct impacts on public services, if any.

Not applicable

- 16. Utilities Find help answering utilities questions
- a. Circle utilities currently available at the site electricity, natural gas, water, efuse service, telephone, sanitary sewer, septic system, other:
- b. Describe the utilities that are proposed for the project, the utility providing the service, and the general construction activities on the site or in the immediate vicinity which might be needed.

No new utilities are proposed. The planned work includes removing three 12,000-gallon unleaded gasoline USTs, product lines, vent lines, dispensers, and canopy.

C. Signature Find help about who should sign

The above answers are true and complete to the best of my knowledge. I understand that the lead agency is relying on them to make its decision.

X

Type name of signee: Click or tap here to enter text.

Position and agency/organization: Click or tap here to enter text.

Date submitted: Click or tap to enter a date.

D. Supplemental sheet for nonproject actions Find help for the nonproject actions worksheet

IT IS NOT REQUIRED to use this section for project actions.

Because these questions are very general, it may be helpful to read them in conjunction with the list of the elements of the environment.

When answering these questions, be aware of the extent the proposal, or the types of activities likely to result from the proposal, would affect the item at a greater intensity or at a faster rate than if the proposal were not implemented. Respond briefly and in general terms.

1. How would the proposal be likely to increase discharge to water; emissions to air; production, storage, or release of toxic or hazardous substances; or production of noise?

Not likely to increase to water discharge, air emissions, production, storage, or release of toxic or hazardous substances. The fuel within the USTs and product lines will be removed prior to decommissioning activities. Noise generated during the construction activities would be limited to a running excavator, concrete sawing and limited jackhammer use.

• Proposed measures to avoid or reduce such increases are:

Concrete will be cut into manageable sizes using a saw and will be removed from the site using an excavator. Jackhammer use will be limited to an as-needed basis.

2. How would the proposal be likely to affect plants, animals, fish, or marine life?

Not Likely.

Proposed measures to protect or conserve plants, animals, fish, or marine life are:

Not applicable

3. How would the proposal be likely to deplete energy or natural resources?

Not Likely.

Proposed measures to protect or conserve energy and natural resources are:

Not applicable

4. How would the proposal be likely to use or affect environmentally sensitive areas or areas designated (or eligible or under study) for governmental protection, such as parks,

wilderness, wild and scenic rivers, threatened or endangered species habitat, historic or cultural sites, wetlands, floodplains, or prime farmlands?

N	ot	Ιi	ke	lν
1 4	υı		~	·v

• Proposed measures to protect such resources or to avoid or reduce impacts are:

Not applicable

5. How would the proposal be likely to affect land and shoreline use, including whether it would allow or encourage land or shoreline uses incompatible with existing plans?

Not Likely.

• Proposed measures to avoid or reduce shoreline and land use impacts are:

Not applicable.

6.	How would the proposal be likely to increase demands on transportation or public services and utilities?
	Proposed measures to reduce or respond to such demand(s) are:
7.	Identify, if possible, whether the proposal may conflict with local, state, or federal laws or requirements for the protection of the environment.